

# Cartwright

D I S T R I B U T I N G I N C

## TABLE OF CONTENTS

<b>Carpet Cushion</b>	Bonded	1
	Sponge Rubber	2
	Synthetic	3
	Prime Urethane	3
	Stainmaster®	4
	Non-Slip Area Rug	5
	Carpet Protection Film	5
<b>Ceramic/Porcelain Tile</b>	Laufen Home Collection	6
	Mediterranea	7
	Florim USA	8
<b>Quick-Step Laminate Flooring</b>		9
<b>Tarkett FiberFloor &amp; Sheet Vinyl</b>		10
<b>Prefinished Wood</b>	Mullican Flooring	11
<b>Vpi Flooring</b>	Wall Base	12
	ESD Commercial Tile	13
	Rubber Flooring & Treads	14
<b>Chapco Adhesives</b>	Multi-Purpose	15
	Carpet	15
	Resilient	16
	Cove Base	17
	Seam Sealers	17
	Miscellaneous	17
	Floor Patch, TEC Thin Set	18
	Floor Primer, Grout Boost	19
<b>Seam Tape</b>	Orcon, Chapco	20
<b>Tackstrip</b>	Wood, Concrete	20
<b>Nails</b>	Concrete, Wood	20

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C

## TABLE OF CONTENTS cont.

<b>Staples</b>	Duo-fast	21
<b>Miscellaneous Tape</b>	Masking, Duct, Strapping, Brown	21
<b>Blades</b>	Carpet, Utility, Trimmer	21
<b>Underlayment</b>	Wood, Gypsum, Cement	22-23
<b>Schluter</b>	Ditra, Shower Systems, Transition	24-27
<b>Metal/Vinyl Floor Transitions</b>	Futura Industries	28-30
<b>Installation Tools</b>	Beno J. Gundlach, Roberts, Orcon	31

**Prices subject to change without notice.**

**Effective December, 2011**

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)



### **RETURN POLICY:**

Returns must have prior approval and be made within 30 days of purchase.

- All returns must be accompanied by a return authorization number.
- All returns must be in A-1 condition and in factory packaging if applicable.
- All products that are considered **special order** are not returnable.
- All returned products are subject to a 15% restocking fee, with the exception of porcelain/ceramic products, wood products and laminate.
- Porcelain/ceramic tile are subject to minimum 200 square feet total, same dye lot of current inventory, and a 25% restocking fee.
- Wood products and laminate flooring are subject to a 25% restocking fee.
- Tarkett cut orders are not returnable once they have left the shipping dock.
- Tarkett stocking rolls can be returned with approval and a 25% restocking fee.
- All returns and subsequent credits are subject to inspection prior to approval.

### **CLAIMS POLICY:**

Cartwright Distributing adopts only the warranty extended by the manufacturer of the product. All claims should be directed to the appropriate salesperson for the account. It is our goal to process all claims in a timely and efficient manner.

---

**Prices subject to change without notice.**

**Effective December, 2011**

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C

---

## CARPET CUSHION-BONDED

*All Products Green Label Certified*

### VALUE STEP

4.0 lb. Full Cut; Available in 3/8".  
(40sy/360sf per Roll)

### FEDERAL

5 lb. Full Cut FHA with Net; Available in 3/8", 7/16"  
and 1/2".  
(30sy/270sf per Roll)

### CRUSHMASTER

6.0 lb. Full Cut FHA with Net, Green Label Certified; Available in 3/8", 7/16"  
and 1/2".  
(30sy/270sf per Roll)

### SUPERMAGIC

6.0 lb. Full Cut FHA, Green Label Certified; Available in 3/8", 7/16" and 1/2".  
(30sy/270sf per Roll)

### COMFORT DELUXE W/ANTI-MICROBIAL

8.0 lb. Full Cut FHA, Green Label Certified; White Rebond; Available in 3/8",  
7/16" and 1/2".  
(30sy/270sf per Roll)

### ELITE

8 lb. Full Cut FHA, Green Label Certified; Available in 3/8", 7/16" and 1/2".  
(20sy/180sf per Roll)

### SUPER 8

8 lb. Full Cut FHA with Net, Green Label Certified; Available in 3/8", 7/16"  
and 1/2".  
(20sy/180sf per Roll)

### SUMMIT

8 lb. Full Cut FHA, Green Label Certified; Available in 1/4" .  
(30sy/270sf per Roll)

# Cartwright

D I S T R I B U T I N G I N C

---

## CARPET CUSHION-SPONGE/RUBBER

*All Products Green Label Certified*

### FORUM II

64 oz. FHA Class II Heavy Traffic Rubber Waffle; Available in 1/4".  
(20sy/180sf per Roll)

### TRED-MOR

Flat Slab Rubber designed for "DUBL-STICK" installation. Available in  
#1562-5/32", 62 oz., 33 lb.; #2568-1/4", 68 oz., 22 lb.;  
#2580-1/4", 80 oz., 26 lb.; #3700-3/8", 100 oz., 22 lb.  
(15sy/135sf per Roll)

### FULL HOUSE

110 OZ., 23 lb. Density, Residential Waffle, Available in 7/16".  
(10sy/90sf Roll)

### BERBER CHOICE

90 oz., 23 lb. Density, Residential Waffle, Available in 3/8".  
(10sy/90sf per Roll)

### SUPERBA

125 oz., 24 lb. Density, Flat Slab Rubber, Available in .450".  
(12sy/108sf per Roll)

### BRAVA

90 oz., 21 lb. Density, Flat Slab Rubber, Available in .380".  
(15sy/135sf per Roll)

### BERBERMAGIC

80 oz., 19 lb. Density Residential Waffle; Available in 3/8".  
(15sy/135sf per Roll)

### BERBERSUPREME

115 oz., 22 lb. Density Residential Waffle; Available in 7/16".  
(12sy/108sqft per Roll)

### KARASTEP-ULTRA

105 oz., 22 lb. Density, Flat Slab Rubber; Available in 3/8".  
(10sy/90sf per Roll)

**CARPET CUSHION-SYNTHETIC**  
***All Products Green Label Certified***

**INTERLOC**

Synthetic Needle Punched Fiber Pad with Scrim.  
Interloc I 24oz, 5/16"; Interloc II 32 oz, 3/8"; Interloc III 40 oz, 7/16".  
(40sy/360sqft per Roll)

**DENSIFIED PRIME URETHANE**

**NAPA**

Moisture guard protection on top and bottom of this 6lb. densified prime urethane cushion.  
(30sy/270sqft per roll)

## **STAINMASTER™** ***Carpet Cushion*** ***Featuring ODOR GUARD*** ***Technology***

STAINMASTER™ carpet cushion featuring ODOR GUARD technology utilizes powerful enzymes to continuously eliminate objectionable odors. Armed with the DuPont™ Hytrel® breathable moisture barrier - an innovative defense system designed to catch spills that soak through the carpet backing and keep them from soaking into the cushion. This patented barrier protection also promotes moisture vapor transfer, so mold and mildew formation caused by trapped moisture is dramatically reduced. Anytime moisture comes in contact with the cushion, powerful enzymes consume and eliminate organic substances that may cause odors, such as milk and pet accidents.

For a complete odor prevention system we carry CARPET ODOR and SPOT REMOVER which features the same odor-destroying enzymes; 32 oz. spray bottle.

We are stocking the STAINMASTER™ Deluxe and STAINMASTER PLUS™ Deluxe with ODOR GUARD technology, both with the Hytrel® breathable moisture barrier; 30 yard (270sqft) rolls, .045" thickness.

### **STAINMASTER DELUXE/TAHOE**

8 lb. Rebond; Available in .450" thickness

### **STAINMASTER "PLUS" DELUXE with ODOR GUARD**

8 lb. Rebond; Available in .450" thickness

### **ODOR GUARD STAIN & ODOR REMOVER SPRAY**

32 oz. Spray Bottle

***Green Label Certified***

# Cartwright

D I S T R I B U T I N G I N C

## NON-SLIP AREA RUG CUSHIONS

### ULTIMATE SLIDE STOP

OPTI-MAT was especially designed to prevent sliding and bunching of rugs over hard surfaces as well as wall to wall carpet. This particular pad has an added dimension to cushion the feel of your rugs. OPTIMAT is made of the finest synthetic fibers combined with a unique non-slip black coating. Use the fiber side down when placing area rug over carpeted floors and the black side down when using on hard surfaces.

OPTI-MAT PRE-CUT SIZES	ULTIMATE SLIDE STOP ROLL SIZES
4X6	6X60
5x8	12X60
6X9	
8X10	
9X12	
10X14	

### TEEBAUD®

The thin, light, fluffy Teebaud underlay is made from two nonwoven polyester fabrics that are permanently needlepunched together. The white fabric was developed specifically for application over carpeting, the gray for use on hard floors. These fabrics will not rot, crumble, flatten out or shed fibers.

	PRE-CUT SIZES	ROLL SIZES
2X4	5X8	2X54
2X8	6X9	3X54
2X11	8X10	5X54
3X5	8.5X11.5	6X54
4X6	10X14	8X60

## SURFACE SHIELDS CARPET PROTECTION FILM

Clear, self adhering protective film for all types of carpeting. Uniquely formulated adhesive system adheres to all carpet substrates. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application. Great protection during remodeling, painting, moving, model home tours and parties.

### **CARPET SHIELD FILM 2' x 200'**

# Cartwright

D I S T R I B U T I N G I N C

## PORCELAIN & CERAMIC TILE

*Featuring*

# LAUFEN

[rocatilegroup.com/laufen](http://rocatilegroup.com/laufen)



[florimusa.com](http://florimusa.com)



[mediterranea-usa.com](http://mediterranea-usa.com)

Cartwright Distributing offers a wide spectrum of porcelain and ceramic tile for residential or commercial use. We have the colors, sizes, mosaics and trims for your needs. Denver stock consists of select tile, bullnose, and mosaics.

**Prices subject to change without notice.**

**Effective December, 2011**

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C



## Quick-Step is leading the industry in technology

<u>COLLECTION</u>	<u>SQFT/CTN</u>	<u>PRICE PER SQFT</u>
Country	16.21	
Perspective	16.22	
Eigna	18.54	
Allustra	18.20	
Modello	18.54	
Veresque	19.13	
Sculptique	18.54	
Rustique	19.13	
Classic	17.18	
Quadra Ceramic Tiles	16.70	
Quadra Natural Stone	16.88	
Home with pad attached	17.18	
QS700	19.63	
<u>TRANSITIONS</u>	<u>LENGTH</u>	<u>PRICE PER PIECE</u>
Multi-functional Profile Incizo	83"	
Quarter Round	94"	
Overlap Stair Nose	94"	
<u>UNDERLAYMENT</u>		<u>PRICE PER ROLL</u>
Combi Floor 2-in-1	100 SQFT	
Unisound Premium	100 SQFT	
Titanium Laminate Cushion	216 SQFT	
Quiet-Cor	540 SQFT	
<u>ACCESSORIES</u>		<u>PRICE PER EACH</u>
Sealant (color coordinated)	10 OZ	
Fix-Kit (color coordinated)		
Cleaning Kit (includes mop and quart of Quick Clean)		
Quick Clean	Quart	
Replacement Mop Head		
Force Stain Remover	6.76 oz	
1-4 All Glue		
Installation Tool Kit		
Unifix Repair Tool		

# Cartwright

D I S T R I B U T I N G I N C



## ***THE CLEAR LEADER IN QUALITY HARDWOOD FLOORING STOCKING IN DENVER***

### ***OL' VIRGINIAN***

***3/4" SOLID 2 1/4" ~ 3"***

Oak Caramel, Saddle, Gunstock & Red Oak Natural

### ***CHALMETTE Hand Sculpted Engineered 5"***

Autumn Maple, Brownstone Maple,  
Provincial Hickory and Hickory Sunset Sand

### ***NATURE COLLECTION***

***3/4" Solid 3", 4", 5"***

Hickory Nature, Maple Nature

### ***MUIRFIELD***

***3/4" Solid 2 1/4", 3", 4", 5"***

Autumn Maple, Golden Maple, Hickory Saddle

### ***MEADOWBROOKE***

***Engineered 3", 5"***

Tigerwood Natural

### **Special Order Products**

Knob Creek Hand Sculpted 3/4" Solid 3" & 4"

Prefinished Exotic 3/4" Solid 3", 4" & 5"

Chatelaine Hand Sculpted 3/4" Solid 4" & 5"

Ridgecrest Engineered 3" & 5"

**Moldings and transitions available**

[mullicanflooring.com](http://mullicanflooring.com)

Page 11

**Prices subject to change without notice.**

**Effective December, 2011**

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C

## Vpi COVE BASE

### 4" RUBBER BASE

### 1-9 cartons

### 10+ cartons

#### Denver Stock -

01 Jet  
14 Taupe  
23 Sahara  
35 Graphite  
36 Silver Sable

43 Spice  
46 Dove Grey  
54 Burnt Umber

66 Charcoal  
74 Papyrus  
97 Fawn  
98 London Grey  
94 Black Brown

#### Non-Stock -

02 Dartmoor Shale  
03 Charcoal Slate  
04 Pewter  
05 London Fog  
06 Buffalo Nickel  
08 Royal Blue  
09 Aurora  
10 Eggplant  
11 Moroccan Blue  
12 Mediterranean Blue  
13 Storm  
15 Teal Dusk  
16 Cypress  
17 Light Teal  
19 Lavender Crush  
20 Alsations Berry  
21 Inkwell  
22 Manhattan Taupe  
24 Taupe Mist

25 Ruby Rouge  
26 Fieldstone  
27 Claymore  
29 Arctic Night  
30 Mint  
31 Spring Green  
32 Milkweed  
33 Alloy  
34 Mariner Green  
37 Olive Grove  
39 Roasted Chestnut  
40 Sandstone  
41 Club Chair  
42 Cordite  
45 Sun Ray  
47 Dijon  
48 Café Au Lait  
49 Egg Shell

50 Toast  
51 Red Coat  
56 Patriot  
57 Nut Brown  
59 Plum wine  
60 Tan  
63 Smoke  
64 Chocolate  
67 Polaris  
69 Pickle  
70 Camelback  
79 Mustard seed  
80 Terracotta  
83 Raisin  
86 Tudor Grey  
89 Ivy  
90 Cappuccino  
92 Light Olive  
93 Rain Forest

### 4" VINYL BASE

### 1-9 cartons

### 10+ cartons

#### Denver Stock -

01 Jet  
23 Sahara  
43 Spice

66 Charcoal  
67 Polaris  
74 Papyrus

97 Fawn  
98 London Grey

Vinyl Base is available in the same color line as Rubber Base. See below for specifics on non-stock items. **All other colors 1-9 ctns; 10+ ctns**

- Non-stock items include: All Straight Base, All Rolled Base, 2-1/2" Cove, 6" Cove, Outside corners and non-stock colors.
- Outside Corners available by special order; 30 pcs per carton, full cartons only. Vinyl corners available in 1/8" gauge only.
- Rolled and Straight base available by special order; full cartons only. Vinyl .080" gauge 160' per roll; 1/8" gauge 120' per roll.
- Special orders are full carton only and non-returnable. Please call for pricing.

vpiflooring.com

Page 12

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\* (800)633-1779\*\*fax (303)371-7953

Website www.cartwrightdistributing.com

## **Vpi COMMERCIAL FLOORING**

### **STATIC CONTROL TILE**

- Specially engineered for your unique ESD needs—conductive and dissipative
- First to introduce static dissipative and low emissivity (LE & XLE) formulations
- Unfailing protection from ESD events
- Tile retains conductivity indefinitely
- No wax required to maintain ESD control
- Three standard sizes: 12"x12", 24"x24", 36"x36"
- Standard 12"x12" tiles are Micro-Squared™ for easy installation
- 24"x24" and 36"x36" tiles can be heat welded for seamless installations
- 24"x24" and 36"x36" are available with square edges or pre-grooved to facilitate seam welding
- All ESD tile grades are extremely flexible and can be flash coved
- Tile will conform to subfloor irregularities without cracking or breaking

**CONDUCTILE® Static Conductive Vinyl Tile** **sq ft\***

**STATMATE™ Static Dissipative Vinyl Tile** **sq ft\***

**\* PRICE INCLUDES COPPER GROUND AND #165 ESD TILE ADHESIVE**

### **Vpi ADHESIVES**

#### **ESD TILE ADHESIVE #165**

Coverage: approximately 150 sq. ft. per gallon

If purchased separately **per gallon**

#### **CONDUCTIVE EPOXY #150**

Coverage: approximately 150 sq. ft. per unit

If purchased separately **per unit**

#### **PREMIUM WALL BASE ADHESIVE #600**

Coverage: approximately 130 lineal feet per 30 oz. cartridge

**30 oz. Cart. Case/12**

vpiflooring.com

Page 13

---

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C

## Vpi RUBBER FLOORING

<b>STAIR TREADS</b>			
<b>CLASSIC RAISED ROUND PROFILE</b> 12 <sup>3</sup> / <sub>4</sub> "x 36", 48" or 72"			<b>LF</b>
<b>CLASSIC RAISED ROUND PROFILE ONE PIECE</b> 19-5/16"x 36", 48" or 72"			<b>LF</b>
<b>Standard Stock Colors at VPI</b>			
01 Jet	05 London Fog	44 Sand Castle	58 Dolphin Blud
02 Dartmoor Shale	11 Moroccan Blue	48 Café Au Lait	61 Olive Green
03 Charcoal Slate	25 Ruby Rouge	52 Fall Harvest	62 Lime Green
04 Pewter	39 Roasted Chestnut	53 Burnt Orange	65 Sea Green
*Stair Tread for Harsh Environments- One piece, Round Profile			<b>LF</b>
*Stair Tread for the Visually Impaired- One piece, Round Profile			<b>LF</b>
Round Profile Standard Tread			<b>LF</b>
*Harsh Environment Stair Tread Visually Impaired; One piece, Round Profile			<b>LF</b>
*Stair Nosing 3"x 1-7/8"x12'			<b>LF</b>
*Stringer/Riser Combination 24'x 10-1/4" w/3/8" Toe			<b>LF</b>
<b>*Limited color availability</b>			
<b>CLASSIC RAISED ROUND PROFILE TILES</b>			
17-13/16"X 17-13/16" (44 SF/CTN FULL CTNS ONLY) & 35-11/16"x35-11/16"			
<b>SQ FT</b>			
<b>Standard Stock Colors at VPI</b>			
01 Jet	05 London Fog	44 Sand Castle	58 Dolphin Blue
02 Dartmoor Shale	11 Moroccan Blue	48 Café Au Lait	61 Olive Green
03 Charcoal Slate	25 Ruby Rouge	52 Fall Harvest	62 Lime Green
04 Pewter	39 Roasted Chestnut	53 Burnt Orange	65 Sea Green
*Decorative Slate Flooring (17-13/16"x 17-13/16" & 35-11/16"x35-11/16")			<b>SF</b>
*Decorative Hammered Flooring (17-13/16"x 17-13/16"& 35-11-16" square)			<b>SF</b>
**Harsh Environment Flooring (17-13/16"x 17-13/16"& 35-11/16" square)			<b>SF</b>
**Deck Point Flooring (35-11/16"x 35-11/16" tile)			<b>SF</b>
**Tactile Safety Tile (35-11/16"x 35-11/16" tile)			<b>SF</b>
*Sports Flooring 7.5mm (35"x35")			<b>SF</b>
*Sports Flooring 7.5mm Interlocking (35"x35")			<b>SF</b>
*Decorative Rolled Rubber Flooring 2mm (60"x50' approx)			<b>SF</b>
*Decorative Rolled Rubber Flooring 3mm (60"x50' approx)			<b>SF</b>
<b>*Limited Color Availability; **minimums apply</b>			
<b>Rubber Flooring Products available in coordinating cove base colors, some minimums apply.</b>			

### ADHESIVE

#230SF Polyurethane (135 sf/gal)	1-gal kit	Adhesive Strips for Stair Treads
#100 Epoxy Solvent Free(135 sf/gal)	1-gal kit	3.5"x 164' (to mount tread)
#225 Acrylic (135 sf/gal)	1-gal	9.5"x 164' (to mount tread)
	4-gal	Nose Caulk (50 lf @ 1/4" bead)

vpiflooring.com

Page 14

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\* (800)633-1779\*\*fax (303)371-7953

Website www.cartwrightdistributing.com

## ADHESIVES-CARPET & MULTI-PURPOSE

### CHAPCO Safe-Set 154 Performance Plus Multi-Purpose Adhesive

A solvent-free product, providing performance and value for many types of installations, including sheet goods and carpet, to approved subfloors. Easy to work with, grabs firmly. Non-flammable, non-toxic, for interior use only. Approximate coverage - 6 to 14 yards per gallon.

**4 GAL PALLET/48**

### CHAPCO Safe-Set 155 Multi-Purpose Adhesive

A latex based, solvent-free flooring adhesive formulated to bond carpets and sheet goods to approved subfloors. Economical, non-toxic, non-flammable, spreads easily and grabs firmly. Approximate coverage - 6 to 14 yards per gallon.

**4 GAL PALLET/48 GALLON CASE/4**

### CHAPCO Safe-Set 475 Hi-Tack Carpet Adhesive

A high tack, fast grab floor covering adhesive that is ideal for tough, stiff unitary and woven carpets plus enhancer and other urethane backed carpet. An excellent choice for bonding carpet to pad in double-bond installations. Approximate coverage - 6 to 14 yards per gallon.

**4 GAL PALLET/48**

### CHAPCO Safe-Set 3 Premium Carpet Adhesive

Perfect for installing carpet to all approved subfloors in heavy traffic areas. Features extremely fast grab and high tack. Safe-Set is highly water resistant when cured. Approximate coverage - 6 to 14 yards per gallon.

**4 GAL PALLET/48**

### CHAPCO Safe-Set DB900 Double-Bond Carpet Adhesive

For installing carpet to all approved double-bond cushions. Has extended open time (35-40 min) which is crucial under pattern match goods such as Axminsters. Use also for jute, ActionBac®, urethane foam back, latex unitary back, woven back, hot melt back and needlepunch. Extremely water resistant when cured.

**4-GAL PALLET/48**

### CHAPCO Safe-Set 2 Pressure Sensitive Releasable Adhesive

Water resistant acrylic latex adhesive for the installation of carpet cushion and a variety of vinyl backed carpet tile and 6" goods. An excellent choice for the installation over raised computer flooring/access panels. Approximate coverage - 18 to 28 yards per gallon.

**4 GAL PALLET/48**



LEED® Support

[www.chapco-adhesives.com](http://www.chapco-adhesives.com)

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\* (800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C

## ADHESIVES

### CHAPCO Safe-Set 7 Clear Thin Spread Adhesive



A pressure sensitive adhesive for the installation of vinyl composition tile and asphalt tile over approved subfloors. Outstanding ease of application, and excellent water resistance once cured.

Approximate coverage - 220 to 260 square feet per gallon

**4 GAL**

**PALLET/48**

**GALLON**

**CASE/4**

### CHAPCO Safe-Set 88 Ceramic Tile Adhesive

May be used to install ceramic tile on floors and walls where a short open time is desired. Excellent water resistance, freeze/thaw stable, spreads easily, sets quickly, and is easy to clean up.

Meets ANSI A 136.1 Type I & II specification. Approximate coverage - 30 to 80 square feet per gallon.

**3.5 GAL**

**PALLET/48**



### CHAPCO Safe-Set 4 Cove Base Adhesive

For use with rubber, vinyl or TPR cove base. Advanced features include: smooth, creamy consistency that's easy to spread; quick grab; strong, lasting bond; excellent water resistance; non-staining formulation; outstanding wet suction for wrapping corners.

**4 GAL**

**2 GAL**

**GALLON**

**CASE/4**

**30 OZ CART.**

**CASE/12**

### CHAPCO Safe-Set 299 Premium Vinyl Tile Adhesive



A high quality tile adhesive that develops an exceptional bond and early tack for the installation of solid vinyl/plank tiles. Excellent resistance to plasticizer migration and moisture.

Approximate coverage - 180 to 260 square feet per gallon.

**4 GAL**

**PALLET/48**

**GALLON**

**CASE/4**

### CHAPCO Champion 255 Urethane Wood Flooring Adhesive

A one-part moisture cure urethane adhesive for installing wood floors. It's unique product formulation provides excellent bond strength along with extraordinary elongation and elasticity to form a durable, yet resilient bond that remains flexible as the floor expands and contracts. Easy to trowel and very low odor, Champion is installer friendly and high performance.

**5 GAL**

**PALLET/48**



[www.chapco-adhesives.com](http://www.chapco-adhesives.com)

Page 16

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\* (800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

## **ADHESIVES/CLEANER**

### **CHAPCO Safe-Set 10 Carpet Pad Adhesive**

A solvent-free, non-flammable adhesive formulated to adhere carpet cushion. When spread thin, SS-10 holds pad in place as fast as solvent-based products at a fraction of the cost. Approximate coverage - 600 to 700 lineal feet per gallon.

**GALLON CASE/4**

### **CHAPCO 31 Seam Sealer**

A fast acting water-based, non-flammable carpet seam sealer. Specially formulated to prevent edge raveling and seal seams of most commercial carpets including vinyl backs in direct glue down, stretch-in, and double bond installations. Use with enhancer, synthetic and woven backed carpets.

**QUART CASE/12 8 OZ. CASE/12**

### **CLEANUP SOLVENT 22**

A fast drying solvent cleaner. Ideal for removing scuffs, black marks, adhesive residue, sealants, asphalt, gum, and oily stains from floors, carpets, walls, vehicles, plastics, glass, clothing, etc.

**PINT CASE/12**

## **ADHESIVES-MISCELLANEOUS**

### **ORCON FAST LOCK EDGE SEALING ADHESIVE**

Seals raw edges for hot melt seams, dries in minutes, stops carpet raveling, UV tracer to aid in passing inspections.

**8 oz CASE/12 QTS CASE/12**

### **CHEMREX CX-948 POLYURETHANE ADHESIVE/SEALANT**

A fast curing construction adhesive. Excellent for gluing down tackstrip, can power stretch carpet in two hours. Can also be used for installing stair nosing.

**10 OZ CART. CASE/24 30 OZ CART. CASE/12**

### **DAP® KWIK SEAL TUB & TILE ADHESIVE CAULK**

Treated with fungicide to protect caulk from growth of mildew and provides a watertight seal. Adheres to ceramic/plastic tile, wood, metal, plaster, glass/porcelain, fiberglass. Ideal for caulking and sealing tubs, sinks, fixtures, backsplashes, shower stalls and loose tiles. Convenient squeeze tube.

**5.5 OZ TUBE**

### **DAP® ACRYLIC LATEX CAULK PLUS SILICONE**

Brilliant white; indoor/outdoor; cured caulk is mold and mildew resistant; waterproof seal; paintable; Permanently flexible; easy water clean-up.

**10oz cartridge**

[www.chapco-adhesives.com](http://www.chapco-adhesives.com)

## **CHAPCO FLOOR PATCH & THIN SET**

### **CHAPCO PATCH - Floor Patch and Leveler**

A latex modified cement-based product used to patch and fill irregularities from 1/2" down to featheredge on wood, concrete and most other existing floor materials. Ultra-fast setting - most floor coverings can be installed in only 30-45 minutes after installation.

- Non-shrinking
- Smooth finish
- Easy mixing & troweling
- Excellent coverage

**25 LB BAG      PALLET/96**

### **CHAPCO SMOOTH FINISH Floor Patch and Leveler**

A super-smooth cement-based compound that can be used to patch irregularities from 1/2" down to featheredge. Ultra-fast setting - most floor coverings can be installed in only 30-45 minutes. Excellent for use over most substrates. Ideal for skim coat applications. Can be used as an embossing leveler.

- Re-sealable bag
- Ideal for small and skim-coat applications
- Superior coverage

**10 LB BAG**

### **CHAPCO SELF LEVELING Underlayment**

A quick setting leveler used for a wide variety of sub-floors including wood sub-floors with joist spacing up to 24" on center. You can install it by pouring or pumping and then install your finished flooring in 12 to 16 hours.

**50LB BAG**

### **TEC FORTI-FLEX 1 Thin Set Mortar Latex Modified**

A polymer-modified mortar used to install ceramic and stone tile on floors and walls. It is a professional formula that provides very good bonds to a variety of substrates for both interior and exterior use. Flex 1 meets both ANSI A118.4 and ANSI A118.11.

**50LB BAG                      Grey                      White**

### **TEC FORTI-FLEX 2 Thin Set Mortar Latex Modified**

FortiFlex™ 2 is a one-part latex modified thin set mortar for installing ceramic, porcelain and natural stone tiles. For use over a variety of substrates, Forti-Flex 2 has good handling characteristics and reliable bond strength for basic residential or commercial installations.

**50LB BAG                      Grey                      White**

### **TEC FULL SET PLUS Premium Thin Set Mortar Un-Modified**

A high strength, quick grab formulation, ideal for wall installations of non-porous and semi-porous tile. Also highly recommended for floors. Approved for use with **Ditra**.

**50LB BAG                      Grey**

## CHAPCO FLOOR PRIMER

### CHAPCO MP Multi-Purpose Primer



An acrylic latex based multi-purpose primer designed for use with the CHAPCO Self-Leveling Underlayments to improve the adhesion and bond strength of the underlayment to the sub-floor. It is easily applied with a brush, roller or broom.

**GALLON CASE/4**

## GROUT BOOST



Grout Boost® Advanced mixes with

Pro Stain

resistant grout additive

Cement-based grout in place of water when grout is installed to Provide resistance to water and oil-based grout stains.

**Grout Boost Sanded 70oz**

**Grout Boost Unsanded 48oz**

# Cartwright

D I S T R I B U T I N G I N C

---

## SEAMING TAPES

<u>ORCON</u>	<u>ROLL</u>	<u>CASE</u>
K-20		10 ROLLS
K-40		10 ROLLS
CT-11		10 ROLLS
XK-30		10 ROLLS
XK-50		10 ROLLS
SUPER 3S		10 ROLLS
CT-7DS		10 ROLLS
SUPER 3SB 6"		5 ROLLS

orcon.com

## CHAPCO

#300 PERFORMANCE MAX	10 ROLLS
#200 PERFORMANCE PLUS	10 ROLLS

chapco-adhesives.com

---

## TACKSTRIP

WOOD (3/4")	400 FT
X-WIDE WOOD (1")	400 FT
X-WIDE WOOD (1" W/1"NAIL)	400 FT
TRI-TAC WOOD (1-1/4"; 30% MORE PINS)	280 FT
COMMERCIAL WOOD (2")	200 FT
CONCRETE (3/4")	400 FT
X-WIDE CONCRETE (1" W/5/8" NAIL)	400 FT
TRI-TAC CONCRETE (1-1/4" W/5/8" NAIL)	280FT
COMMERCIAL CONCRETE (2")	200 FT
STANDARD (3/4" NO NAILS)	400 FT
ACCOUSTICAL (3/4)	400 FT

halex.com

---

## NAILS

CONCRETE 1/2", 11/16", 5/8", 3/4", 1"	5 LB BAG 1 LB BAG
BLUE NAILS	5 LB BOX
DRIVE NAILS (SILVER & GOLD)	PER LB

Page 20

---

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C

## STAPLES

<u>DUO-FAST</u>	<u>BOX</u>	<u>CASE</u>
5418D 9/16" ELECTRIC TACKER STAPLES		20 BOXES
7512D 3/8" PAD STAPLES		20 BOXES
5010D 5/16" PAD STAPLES		20 BOXES
A11 3/8" PAD STAPLES		20 BOXES
1828 7/8" SUBFLOOR STAPLES		8 BOXES
1832 1" SUBFLOOR STAPLES		8 BOXES
1836 1-1/8" SUBFLOOR STAPLES		8 BOXES

duo-fast.com

## MISCELLANEOUS TAPE

	<u>ROLL</u>	<u>CASE</u>
MASKING TAPE 2"X60'		24 ROLLS
BROWN TAPE 2"X60'		36 ROLLS
DUCT TAPE 2"X60'		24 ROLLS
STRAPPING TAPE 1"X60 YDS		36 ROLLS

## BLADES

	<u>BOX</u>	<u>CASE</u>
BETTER TOOLS SLOTTED BLADES (dispenser)		10 BOXES
PERSONNA HD SLOTTED BLADES		10 BOXES
PERSONNA HD SQUARE SLOTTED BLADES		10 BOXES
PERSONNA TRIMMER BLADES		10 BOXES
PERSONNA UTILITY BLADES		10 BOXES
PERSONNA 4" SCRAPER BLADES		10 TUBES
BETTER TOOLS 4" SCRAPER BLADES		10 TUBES
PERSONNA 8" SCRAPER BLADES		5 TUBES
BETTER TOOLS 8" SCRAPER BLADES		5TUBES

# Cartwright

D I S T R I B U T I N G I N C

---

## DUROCK UNDERLAYMENT

FOR CERAMIC TILE INSTALLATION

(FULL PALLET ONLY FOR DELIVERY)

3'x5'x1/4"	640 SQ FT PER PALLET 40 PIECES PER PALLET 30 LBS. PER PANEL	PALLET SQ FT PANEL SQ FT
3'x5'x1/2"	750 SQ FT PER PALLET 50 PIECES PER PALLET 45 LBS PER PANEL	PALLET SQ FT PANEL SQ FT

## FIBEROCK UNDERLAYMENT

FOR CERAMIC TILE OR VINYL INSTALLATION

(FULL PALLET ONLY FOR DELIVERY)

4'x4'x3/8"	960 SQ FT PER PALLET 60 PIECES PER PALLET 30 LBS PER PANEL	PALLET SQ FT PANEL SQ FT
4'x4'x1/4"	960 SQ FT PER PALLET 60 PIECES PER PALLET 23 LBS PER PANEL	PALLET SQ FT PANEL SQ FT
3'x5'x1/2"	750 SQ FT PER PALLET 50 PIECES PER PALLET 40 LBS PER PANEL	PALLET SQ FT PANEL SQ FT

usg.com

---

## ACCUPLY UNDERLAYMENT

5-PLY BIRCH FOR VINYL, CARPET AND CERAMIC TILE

4'x5'x1/4"	1300 SQ FT PER PALLET 65 PIECES PER PALLET 14 LBS PER PANEL	PALLET SQ FT PANEL SQ FT
4'x8'x1/4"	2080 SQFT PER PALLET 65 PIECES PER PALLET 27 LBS PER PANEL	PALLET SQ FT PANEL SQFT
4'x5'x5.5mm	PopPly 5-ply 1600SQ FT PER PALLET	PALLET SQFT PANEL SQFT

hallexcorp.com

Page 22

---

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website www.cartwrightdistributing.com

# Cartwright

D I S T R I B U T I N G I N C

## PERMABASE® CEMENT BOARD

PermaBase® cement board is a rigid substrate made of Portland cement, aggregate and glass mesh that provides an exceptionally hard, durable surface that is able to withstand prolonged exposure to moisture.

- Double-wrapped edge with Edge Tech technology allows for closer fastener application of nails or screws at the edge without crumbling or spinout.
- Can be cut with a standard utility knife and straight edge for a very easy and clean score and snap.
- Tapered double-wrapped edge is virtually resistant to chipping, fragmenting and crumbling from yard handling and on-the-job use.
- 

**4' x 4' x 1/4"; 800 SQFT/PLT; 50 SHEETS/PLT**

(Full pallet only for delivery )

<b>PALLET</b>	<b>SQ FT</b>
<b>PANEL</b>	<b>SQ FT</b>

**3' x 5' x 1/2"; 750 SQFT/PLT; 50 SHEETS/PLT**

(Full pallet only for delivery)

<b>PALLET</b>	<b>SQ FT</b>
<b>PANEL</b>	<b>SQ FT</b>

nationalgypsum.com

## ENSTRON OFB UNDERLYMENT

Manufactured with Douglas Fir and or Pine and Aspen hardwood using high performance binders to produce a higher density composite wood fiber panel with a minimum of 30% better strength properties than that of standard flooring underlayments.

Recommended for all floor coverings i.e. vinyl, carpeting, laminate flooring, and hardwood. To be used in place of a plywood sheathing grades in all underlayment applications. Environmentally friendly product in place of Lauan and other plywoods.

**4' x 4' x 5/16"; 848 SQFT/PLT; 53/SHEETS PLT**

**SQ FT**

**4' x 8' x 1/4"; 1696 SQFT/PLT; 53 SHEETS PLT**

**SQ FT**

## LEVEL UP FLOOR TRANSITIONS

Also known as shims

**3/8"x32"**

**CASE/12**

**1/2"x32"**

**CASE/10**

**1/4"x32"**

**CASE/18**

Page 23

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953


Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)



## P R O F I L E O F I N N O V A T I O N

### Schlüter® -DITRA

Schlüter®-DITRA is an uncoupling and waterproofing membrane that is recommended for any even and load-bearing substrate such as: plywood and OSB; 24" o.c. truss and I-joist systems; green concrete; gypsum-based screeds; pre-stressed and post tensioned concrete; and radiant heated floors. For most tile installations, Schlüter®-DITRA eliminates the need for a second layer of plywood or for the use of cementitious backerboard. Schlüter®-DITRA ensures a lasting installation by allowing independent movement between the tile covering and the substrate. This eliminates the transfer of stresses from the substrate to the tile covering. In addition, Schlüter®DITRA is lighter, thinner and easier to apply than any other underlayment.



**323 sq ft roll - per sq ft**

### Schlüter® -DITRA-XL

Schluter-DITRA-XL is a polyethylene membrane with a grid structure of square cavities, each cut back in a dovetail configuration, and an anchoring fleece laminated to its underside. Schluter-DITRA is bonded to the substrate using thin-set mortar. The anchoring fleece on the underside of Schluter-DITRA-XL is engaged in the mortar to provide a mechanical bond to the substrate. Tile is installed over Schluter-DITRA-XL using the thin-bed method in such a way that the mortar becomes mechanically anchored in the square, cutback cavities of the Schluter-DITRA-XL matting.

**175 sq ft roll— per sq ft**

Schluter.com

Page 24

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\*(800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C



P R O F I L E O F I N N O V A T I O N

## SHOWER SYSTEMS



### SHOWER KIT w/o DRAIN

48X48 Shower Kit w/o Drain	KK122
72x72 Shower Kit w/o Drain	KK183
32x60 Shower Kit w/o Drain	KK81152
32x60 Shower Kit Off Center w/o Drain	KKB81152
Kerdi Shower Curb (48x6x4½)	SC-122
Kerdi Shower Tray (48x48)	ST-122



### KERDI WATERPROOFING MEMBRANE

323 sq ft roll (8mil)	KERDI200
5" x 98' 5" (4mil)	KEBA100/125
3'3"X33' (8mil)	KERDI200/10M



### KERDI-KERECK CORNERS

Inside Corners (2/pkg)	KERECK/F12
Outside Corners (2/pkg)	KERECK/FA2



### KERDI DRAIN (ABS or PVC)

1	Stainless Steel	KD2/.../E
2	Anodized Aluminum	KD2/.../AKGB
3	Brushed Brass Anodized Aluminum	KD2/.../AMGB
4	Brushed Nickel Anodized Aluminum	KD2/.../ATGB
	Oil Rubbed Bronze	KD2/.../EOB

[schluter.com](http://schluter.com)

Page 25

Prices subject to change without notice.

Effective December, 2011

Cartwright Distributing, Inc.\*4851 Kingston Street\*Denver, CO 80239-2523

(303)371-7950\*\* (800)633-1779\*\*fax (303)371-7953

Website [www.cartwrightdistributing.com](http://www.cartwrightdistributing.com)

# Cartwright

D I S T R I B U T I N G I N C



P R O F I L E O F I N N O V A T I O N

## KERDI-BOARD



Schluter-KERDI-BOARD is a multifunctional tile substrate and building panel, which can also be used for creating bonded waterproofing assemblies with tile coverings.

### KERDI-BOARD PANELS DENVER STOCK


KB1212202440	1/2" x 48" x 96"	ea
KB386252440	1 1/2" x 24 1/2" x 96"	ea
KB506252440	2" x 24 1/2" x 96"	ea
KB512202440	3/16" x 48" x 96"	ea

# Cartwright

D I S T R I B U T I N G I N C



## PROFILE OF INNOVATION




### RENO-TK

8' LENGTH

Satin Anodized Aluminum 5/16"  
3/8"  
1/2"

AETK80  
AETK100  
AETK125




### RENO-U

8' LENGTH

Satin Anodized Aluminum 5/16"  
3/8"  
1/2"

AEU80  
AEU100  
AEU125



### SCHIENE

8' LENGTH











Aluminum 5/16"  
3/8"  
1/2"  
Satin Anodized Aluminum 5/16"  
3/8"  
1/2"

A80  
A100  
A125  
AE80  
AE100  
AE125

# Cartwright

D I S T R I B U T I N G I N C








## METAL FLOOR TRIM (price per foot)

 <p><b>104</b> ECONOMY PIN CLAMPDOWN</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE ALSO AVAILABLE IN 106 FLEX; 12 PER TUBE FLEX SILVER TUBE FLEX GOLD TUBE</p>	 <p><b>101</b> PIN CLAMPDOWN</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>
 <p><b>99</b> PIN CLAMPDOWN</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	 <p><b>121</b> CLAMPDOWN FOR TACKSTRIP</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>
 <p><b>201</b> PINLESS CLAMPDOWN</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	 <p><b>Z-BAR</b></p> <p>4' LENGTHS; 25 PIECES PER CARTON FULL CARTON ONLY</p>
 <p><b>110</b> VINYL INSERT METAL W/PINS</p> <p>12' LENGTHS; 20 PIECES PER TUBE PIECE TUBE</p>	 <p><b>210</b> VINYL INSERT METAL W/O PINS</p> <p>12' LENGTHS; 20 PIECES PER TUBE PIECE TUBE</p>
 <p><b>903</b> 3/32" COVING CAP FOR SHEET GOODS</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	 <p><b>901</b> 1/8" COVING CAP FOR SHEET GOODS</p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE</p>

# Cartwright

D I S T R I B U T I N G I N C









## METAL FLOOR TRIM (price per foot)

 <p style="text-align: center;"><b>313</b> <b>1" CARPET BINDER BAR</b></p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	 <p style="text-align: center;"><b>312</b> <b>1-1/2" CARPET BINDER BAR</b></p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>
 <p style="text-align: center;"><b>304</b> <b>2" CARPET BINDER BAR</b></p> <p>12' LENGTHS; 12 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	 <p style="text-align: center;"><b>611</b> <b>STANDARD STAIR NOSING</b></p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>
 <p style="text-align: center;"><b>605</b> <b>STAIR NOSING</b></p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	 <p style="text-align: center;"><b>401</b> <b>SQUARE CARPET COVING CAP</b></p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>
 <p style="text-align: center;"><b>400</b> <b>CARPET COVING CAP</b></p> <p>12' LENGTHS; 40 PIECES PER TUBE SILVER TUBE GOLD TUBE</p>	

# Cartwright

D I S T R I B U T I N G I N C

## VINYL FLOOR TRIM (prices per foot)

 <p><b>331</b> <b>CARPET REDUCER</b></p> <p>12' LENGTHS; 20 PIECES PER TUBE BLACK, BROWN, FAWN, GRAY PIECE TUBE</p>	 <p><b>754</b> <b>CARPET TO TILE JOINER</b></p> <p>12' LENGTHS; 20 PIECES PER TUBE BLACK, BROWN, FAWN PIECE TUBE</p>
 <p><b>703</b> <b>SNAP-IN "T" DIVIDER</b></p> <p>12' LENGTHS; 20 PIECES PER TUBE BLACK, BROWN, FAWN, GRAY PIECE TUBE</p>	 <p><b>705</b> <b>SNAP-IN "T" DIVIDER</b></p> <p>12' LENGTHS; 20 PIECES PER TUBE BROWN, BLACK, FAWN, GRAY PIECE TUBE</p>
 <p><b>704</b> <b>SNAP-IN "T" DIVIDER</b></p> <p>12' LENGTHS; 20 PIECES PER TUBE BLACK, BROWN, FAWN, GRAY PIECE TUBE</p>	 <p><b>410</b> <b>OVAL CARPET CAP</b></p> <p>12' LENGTHS; 20 PCS PER TUBE BLACK, BROWN, FAWN, GRAY PIECE TUBE</p>
 <p><b>COVE STICK</b></p> <p>5' LENGTHS; 100 PIECES PER CTN PIECE CTN</p>	 <p><b>325</b> <b>1/8" TILE REDUCER</b></p> <p>3' LENGTHS; 50 PIECES PER CTN BLACK, BROWN PIECE CTN</p>



## INSTALLATION TOOLS

Cartwright Distributing stocks installation tools from Beno J Gundlach, Taylor Tools, Roberts, Orcon, and Better Tools. If we don't have it, we will gladly order it.

[benojgundlachco.com](http://benojgundlachco.com)

[taylortools.com](http://taylortools.com)

[roberts-consolidated.com](http://roberts-consolidated.com)

[orcon.com](http://orcon.com)

[better-tools.com](http://better-tools.com)